### APPLICATION GUIDE


# **TruBlu**<sup>™</sup>

Smart Lighting Control Platform for Indoors and Outdoors





# **TruBlu**<sup>™</sup>




The control infrastructure is flexible and future-friendly for scaling beyond lighting to enable value-added IoT services:

- Code-compliant occupancy detection
- Sensor-based automation
- Manual control with wireless switches/dimmers
- Customizable daylight harvesting scenarios
- Basic to advanced lighting control scenarios
- Supports large-scale installations
- Interoperable with other Bluetooth Mesh qualified lighting devices
- No specialized training or lighting control expertise required



## **Software Tools**

THE TRUBLU WEB PORTAL IS THE HUB OF ANY LIGHTING **INSTALLATION.** Design professionals and installers in advance of an actual installation to manage lighting installation projects, plan commissioning along with mapping zones on a floor within a building, setting up control scenarios for zones and managing users collaborating on the project. The TruBlu iOS app is the mobile tool used onsite to commission devices according to the commissioning plan set up earlier in the TruBlu web portal. The iOS app may also serve as a freestanding commissioning tool for small projects or fine-tuning systems on the fly, offering functionality for system management, control parameters and zone grouping. Software tools are powered by McWong's technology partner, Silvair, which offers a fully qualified Bluetooth Mesh stack compliant with the published SIG specification.




mcwonginc.com



A range of options to satisfy different needs, from code-compliant control solutions to cost-effective retrofit

**Option 1:** Code-compliant + color tuning



PSC-WCM-100-EC-BLE-SR Fixture controller




### CONTROL STRATEGY

- Occupancy/Vacancy sensing
- Daylighting
- Dimming
- White color tuning

- TruBlu 12-24V DC Remote Head PIR Occupancy Sensor, Daylight Harvesting
- TruBlu 120-277 volt Bluetooth Dimming Switch
- TruBlu 12-24V DC Two Channel Controller per Fixture


### **Option 2:** Code-compliant with dimming control




### CONTROL STRATEGY


- Occupancy/Vacancy sensing
- Daylighting (as needed)
- Dimming

- TruBlu 12-24V DC Remote head PIR Occupancy & Daylight Harvesting Sensor
- TruBlu 120-277 volt Bluetooth Dimming Switch
- TruBlu 12-24V DC 1-Channel Fixture Controller per Fixture





### **Option 3:** Cost-effective retrofit




### **CONTROL STRATEGY**

- Occupancy sensing
- Dimming

- TruBlu 120-277 volt Bluetooth Dimming Sensor Switch
- TruBlu 12-24V DC 1-Channel Fixture Controller per fixture

## **Stairwells & Restrooms**



PSC-BL-U-FM-DC0-BLE-SR Ultrasonic sensor



PSC-DM-WS-100-BLE-SR Dimming wall switch

### **CONTROL STRATEGY**


- Occupancy sensing
- Dimming

- TruBlu 12-24V DC Ultrasonic Occupancy Sensor Controller per Fixture
- TruBlu 120-277 volt Bluetooth Dimming Switch



# Warehouse/Industrial Spaces






### CONTROL STRATEGY

- Occupancy sensing
- Dimming

- TruBlu 120-277 volt Bluetooth Dimming Switch at Exits
- TruBlu 12-24V DC Highbay PIR Occupancy Sensor Controller per Fixture





### CONTROL STRATEGY

- Motion sensing
- Dusk-to-Dawn Photocell

### **CONTROL COMPONENTS**

• TruBlu Standard Low-voltage Receptacle PIR or Microwave Motion Sensor Controller

### **Sensors and Controllers**



PRODUCT #	DESCRIPTION	ТЕСН	INPUT VOLTAGE	MOUNTING	INDOOR/ OUTDOOR RATED	SUGGESTED APPLICATIONS
Fixture Mount Sensors						
PSC-BL-I-FM-DC0-BLE-SR	Bi-level PIR Occupancy Sensor	Р	12-24VDC	FM, CM	Indoor/Outdoor*	OC, WH, PG, AP
PSC-BL-I-FM-DC0-BLE-SR-S	Bi-level PIR Occupancy Sensor Wet Location Side Mount	Р	12-24VDC	FM, CM	Outdoor	OC, WH, PG, AP
PSC-BL-I-FM-DC0-BLE-SR-B	Bi-level PIR Occupancy Sensor Wet Location Bottom Mount	Р	12-24VDC	FM, CM	Outdoor	OC, WH, PG, AP
PSC-BL-I-RD-DC0-BLE-SR	Bi-level PIR Remote Mount Occupancy sensor Daylight Harvesting	Р	12-24VDC	FM, CM	Indoor	OC, SP
PSC-BL-I-RT-DC0-BLE-SR	Bi-level PIR Remote Mount Occupancy sensor	Р	12-24VDC	FM, CM	Indoor	OC, SP
PSC-BL-I-FM-110-BLE-SR	Bi-Level PIR Occupancy Sensor w/ Load Switch	Р	120- 277VAC	FM	Indoor	OC, WH, PG
PSC-ZA-I-100-SR	Plug-in Ready PIR Sensor	Р	12-24VDC	ZA	Outdoor	OC, WH, PG, AP
PSC-BL-M-FM-DC0-BLE-SR	Bi-level Microwave Occupancy Sensor	М	12-24VDC	FM, CM, WM	Outdoor	OC, WH, AP
PSC-BL-M-FC-DC0-BLE-SR	Bi-level Microwave Occupancy Sensor	М	12-24VDC	FM, CM, WM	Indoor	OC, WH, AP
PSC-BL-M-RT-DC0-BLE-SR	Bi-level Microwave Remote Mount Occupancy sensor	М	12-24VDC	FM, CM, WM	Indoor	OC, PG, BD
PSC-ZA-M-100-SR	Plug-in Ready Microwave Sensor	М	12-24VDC	ZA	Outdoor	OC, WH, AP
PSC-BL-U-FM-DC0-BLE-SR	Bi-level Ultrasonic Occupancy Sensor	U	12-24VDC	FM, CM	Indoor	SP, LR, HS

### **Fixture Mount Controller Modules**

Tixture mount controller					
PSC-WCM-50-DC0-BLE-SR	Wireless Fixture Controller Module	12-24VDC	FM	Indoor	
PSC-WCM-60-DC0-BLE-SR	Wireless Fixture Controller Module, w/o SEN Input	12-24VDC	FM	Indoor	
PSC-ZA-100-SR	Plug-in Ready Fixture Controller Module	12-24VDC	ZA	Outdoor	
PSC-ZA-110-SR	Plug-in Ready Fixture Controller Module w/ Light Sensing	12-24VDC	ZA	Outdoor	
PSC-WCM-200-DC0-BLE-SR	HV Wireless Fixture Controller Module	18-48VDC	FM	Indoor	
PSC-WCM-200-EC-DC0-BLE-SR	HV Wireless Fixture Controller Module, dimming only	18-48VDC	FM	Indoor	SP, OC, LR, HS, WH, AP, PG, BD
PSC-WCM-100-DC0-BLE-SR	Wireless Fixture Controller Module	12-24VDC	FM	Indoor	
PSC-WCM-100-EC-DC0-BLE-SR	Wireless Fixture Controller Module, dimming only	12-24VDC	FM	Indoor	
PSC-ZA-200-SR	Wireless Fixture Controller Module w/ 2 channels dimming	12-24VDC	ZA	Outdoor	
PSC-ZA-210-SR	Wireless Fixture Controleer Module w/ 2 channels dimming and Light Sensing	12-24VDC	ZA	Outdoor	

### **Ceiling Mount Occupancy Sensor**

PSC-ND-I-CM-DC-BLE-SR	Ceiling Mount PIR Occupancy Sensor	Р	12-24VDC	СМ	Indoor	OC

### Wall Switch and Wall Switch Occupancy Sensor

PSC-DM-WS-100-BLE-SR	Wireless dimmer wall switch		12-24VDC	WM	Indoor	SP, OC, LR, HS
PSC-DM-I-WS-100-BLE-SR	Wireless dimmer sensor wall switch	Р	12-24VDC	WM	Indoor	SP, LR

\*PSC-BL-I-FM-DCO is outdoor use at the Sensor Collar part only. Side and Bottom Mount IP65 enclosure available for completely outdoor sensor option.

#### Applications

Small / Partitioned Office	SP
Open Office / Conference Room	OC
Lavatory / Rest Room	LR
Hallways / Stairwell	HS
Warehouse	WH
Area/Site Lighting / Parking Lot	AP
Parking Garage	PG
Bollard	BD

#### Tech

PIR	Р
Ultrasonic	U
Microwave	М
Dual Technology (PIR & Ultrasonic)	D

### **Mounting Options**

Fixture Mount	FM
Ceiling Mount	СМ
Wall Mount	WM
Plug-in Ready Fixture Mount	ZA



### **ABOUT MCWONG**

For 30+ years, McWong has produced superior lighting controls and related electrical power and protection components. Today, McWong is an innovator in Bluetooth mesh control solutions with the largest range of qualified Bluetooth mesh devices in the marketplace. With advanced design and manufacturing facilities, McWong offers extensive component choices for OEMs as well as robust solutions for contractors, ESCOs and facility managers.

### mcwonginc.com





rev0919